POPULATION ESTIMATE	ES	LONG-TERM CARE -		LOCAL HEALTH DEPART	
Total 2004 Population 486,290		Community Options and MA Wa as HSRS reports costs for s	iver ervices	Staffing - FTE Number	Per 10,000 Population
Population per square mile County ranking in state (1-72) .	Clients COP 130 \$ MA_Waiver *	Costs	Staffing - FTE Number Total staff 187.3 Administrative 26.0 Public health nurses 65.8 Other prof. staff 40.7 Technical/Paraprof. 18.8 Support staff 36.1	3.8 0.5 1.4
Age Female Male 0-14 43,690 46,230	Total 89,910	MA Waiver * 120 \$	6,495,719	Other prof. staff 40.7 Technical/Paraprof. 18.8	0.8 0.4
15-19 17,770 19,090 20-24 . 17,180 25-29 . 13,560 30-34 . 13,980	36,820 33,220 26,030	CIP1B	6,741,770 4,683,203 0,782,873	Support staff 36.1	
35-39 . 16,330	27,320 32,260	MA Walver	\$892,968 1,100,720	Funding Total \$13,253,286 Local Taxes \$7,127,598	\$27.19 \$14.62
40-44 . 19,780 45-54 36,460 37,390 55-64 26,380 26,370	39,300 73,850 52,730	Total COP/Wvrs 3,231 \$5 	2,001,921	LICENSED ESTABLISHM	ENTS
65-74 19,260 17,730 75-84 15,050 11,220 85+ 3,780 Total 242,510	37,040 26,250 11,730	were paid as local match/o using COP funds. This amo not included in above COP	unt is	Type Capacity Bed & Breakfast 308 Camps 9,504 Hotels, Motels 14,632 Tourist Rooming 2,253	Facilities 83 201
Age Female Male	486,290 Total	* Waiver costs reported he include federal funding.	re	P0015	241
18-44 84,740 88,720 45-64 62,840 63,760	111,380 173,480 126,580	Clients Eligible and Waiting 833	Costs	Restaurants Vending	2,843 59
65+ 42,250 32,730 Total . 242,510	75,020 486,290	Waiting		WIC PARTICIPANTS	
Poverty Estimates for 2000 Estimate	(C.I.+/-)	· · ·	,		Number
All ages 39,321 Ages 0-17 12,599	not available	Note: Eligible and waiting will be phased into the C Waivers as available.	OP and MA	Pregnant/Postpartum Infants Children, age 1-4 Total	
EMPLOYMENT				CANCER INCIDENCE (2	,
Average wage for jobs covered by unemployment compensation (place of work)		Home Health Agencies Patients Patients per 10,000 pop.	11 5,527 114	Primary Site Breast Cervical	396 14
Labor Force Estimates	Annual Average	Nursing Homes Licensed beds	61 5,788	Colorectal Lung and Bronchus Prostate	276 355 394
Civilian Labor Force Number employed Number unemployed	270,728 256,643 14.085	Nursing Homes Licensed beds Occupancy rate Residents on Dec.31 Residents age 65 or older per 1,000 population	1072% 5,267	Other sites Total	1,174 2,609
Unemployment rate	5.2%	per 1,000 population	64	Note: Totals shown are for invasive cancers only.	

				NATA	LITY					
TOTAL LIVE BIRTHS		5,371					Marital S	tatus		
		,	First	rder d n or higher wn natal Visit	2,008	37	of Mother		Births	Percent
Crude Live Birth Rate	9	11.0	Second	d	1,721	32	Married		3,953	74
General Fertility Rat			Third	-	908	17	Not marr		1.418	26
denotal for cliffy had		0010	Fourth	or higher	733	14	Unknown	104	0	0
live hirths with reno	nted		Unknow	wn	1	< 5	Onknown		J	Ū
Live births with repo	, teu -	75 1 10	OHRHO	WII		`	Education			
Congenital anomalies	4	75 1.4%					of Mother		Births	Percent
Doliveny Tyme	Dintho	Danaant	dot Door	1	Dintha	Danaant				6
Delivery Type		Percent	ist Prei	natal Visit	BTLIL	Percent	Elementa	ry or res	ss 317	-
Vaginal after			ist ti	rimester	4,282	80	Some hig	u ścuoot	430	8
previous cesarean	80]	2nd ti	rimester	903	1/	High sch	00T	1,848 1,465	34
Forceps	31	1	3rd ti	rimester	139	3	Some col	Lege	1,465	27
Other vaginal	3,939	73	No vi	sits	33	1	College	graduate	1,291	24
Primary cesarean	741	14	Unknov	vn	14	<.5	Unknown		20	<.5
Vaginal after previous cesarean Forceps Other vaginal Primary cesarean Repeat cesarean	580	11		rimester rimester rimester sits wn						
·			Prenata [*]	l Visits	Rirths	Percent	Smoking S	tatus		
Birthweight	Births	Percent	No vis	sits	33	1	of Mother		Births	Percent
<1.500 am	49	0.9	1-4		229	4	Smoker		898	17
1.500-2.499 am	288	5.4	5-9	sits	1.190	22	Nonsmoke	r	4.465	83
2 500+ am	5 032	93 7	10-12		2 339	22 44	Ilnknown		4,465 8	<.5
Linknown	0,002	< 5	13+		1 568	29	Onknown		J	1.0
Birthweight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	2	`.5	Unknov	wn	1,568 12	<.5				
			UIIKIIU							
			Low Birth	nweight ,500 gm) Percent _6.2		Trimest	er of First	Prenata ¹	l Visit	
			(under 2	500 am)	1et Tr	imester	2nd Trim			Unknown
Race/Ethnicity	Rirths F	Percent	Ricthe	Percent	Ricths	Percent	Births P	ercent		Percent
White	4 864	01	300	6.2	3,961	Ω1	751	15	152	3
Plack/Afr Amorican	7,004	- 5 - 5	300	16.7	14	50	751	33	2	8
Amonican Indian	110	`.5	4	0.7	79	70	07	24	7	6
Allier Itali Illutali	113	2	4	3.3	79	70	751 8 27 32	24 24		0
Hispanic/Latino	131	2	10	7.0	92	70	32	24	/	
Laotian/Hmong	1/5	3	13	7.4	89	51	73	42	1 <u>3</u>	/
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	64	1	6	9.4	47	73	12	19	5	8
						Tnimaa+	er of First	Dnonoto	 1 Vioi+	
	г.	ertility	Low Birth	EOO am'	10+ T-	rimest	2nd Trim	rrenata.	other/	Unknown
Ago of Mother			(under 2	, soo giii)	151 11	Tilleg fel.	Din+po D	52 CGI.	Other/	
Age of Mother		Rate			RTI, LUS	Percent	Births P	ercent	RTLTUS	Percent
<15			1	20.0	1	20	1	20	*	•
15-17	86		6	7.0	48	56		36		•
18-19	316		23	7.3	234			22		
20-24	1,343	:	83 110	6.2	1,014 1,396	76 84	268	20		
	4 674	_	110	6.6	1,396	84		14		
25-29	1,0/1	•			4 004	0.4	172	- 4		
25-29 30-34	1,269		72	5.7	1,064	84		14		•
25-29	1,269 549		72 34	5.7 6.2	1,064 441	84 80	89	14 16		•
25-29 30-34	1,269		72	5.7		84 80 64				:
25-29 30-34 35-39	1,269 549		72 34	5.7 6.2	441	80	89	16		
25-29 30-34 35-39 40+ Unknown	1,269 549 132 0	: :	72 34	5.7 6.2 6.1	441 84 •	80 64	89 36 •	16 27	*	· · ·
25-29 30-34 35-39 40+	1,269 549 132		72 34	5.7 6.2	441 84 •	80 64	89 36 •	16 27	* ess than 5	births.

MORBIDITY				MO	RTALITY		
REPORTED CASES OF SELECTED DIS		Note: Death rates (neonatal, and Perinatal and	except in I postneor I fetal de	nfant) are natal death eath rates	per 100,000 population. rates are per 1,000 live are per 1,000 live births culated for fewer than 20	Infant, births. plus	
Campylobacter Enteritis	Number 108 165 26	TOTAL DEATHS Crude Death Ra	ite	4,287 882	Selected Underlying Cause Heart Disease (total) Ischemic heart disease	1,120	Rate 230 150
Hepatitis Type A Hepatitis Type B** Hepatitis NANB/C Legionnaire's	43 165 0	Age 1-4 5-14	Deaths 9 9		Cancer (total) Trachea/Bronchus/Lung	1,044 266	215 55 21
Lyme Measles Meningitis, Aseptic	308 0	15-19 20-34 35-54	25 66 314	68 76 216	Colorectal Female Breast Cerebrovascular Disease Lower Resp. Disease	301	62 45
Meningitis, Aseptic Meningitis, Bacterial Mumps Pertussis	0 0 230	55-64	362 687	687	Pneumonia & Influenza Accidents	103 209	21 43 16
Salmonellosis Shigellosis Tuberculosis	230 96 7 10	65-74 75-84 85+	1,267 1,525	13,015	Motor vehicle Diabetes Infect./Parasitic Dis. Suicide	125 72 55	26 15 11
* 2004 provisional data. ** Includes all positive HBsAg		Infant Mortality	Deaths 23	Rate 4.3	Suicide * Based on female popul		11
test results.		Total Infant Neonatal Postneonatal Unknown	14 9	:	ALCOHOL AND DRUG ABUSE OR CONTRIBUTING CAUS		
Sexually Transmitted Disease		OHKHOWH	•	•	Alcohol	76	16
Chlamydia Trachomatis	755	Race of Mother			Alcohol Tobacco Use Other Drugs	733	151
Genital Herpes	186	White	21	4.3	Other Drugs	24	5
Gonorrhea	79	Black	:				
Syphilis	7	Hispanic	1	•	MOTOR VEHTOLE	00401150	
		Laotian/Hmong Other/Unknown	1	•	MOTOR VEHICLE	. CRASHES	
		Other / Oliknown	•	•	Note: These data are ba	sed on l	ocation
IMMUNIZATIONS		Birthweight			of crash, not or		
		<1,500 gm	11				
Children in Grades K-12 by		1,500-2,499 gm	2		Type of Motor	Persons I	Persons
Compliance Level		2,500+ gm Unknown	10		Vehicle Crash	Injured	Killed
Compliant 81, Non-compliant Percent Compliant 128	394 890	Unknown	•	•	Type of Motor Vehicle Crash Total Crashes Alcohol-Related	4,323 662	73 28
Percent Compliant 128	7.8	Perinatal			With Citation:		
·		Mortality	Deaths	Rate	For OWI	519	5
		Total Perinatal Neonatal Fetal	48	8.9	For Speeding Motorcyclist Bicyclist	232	0
		Neonatal	14		Motorcyclist	196	5
		retal	34	6.3	Bicyclist Pedestrian	70	0 4
·		·					

		Per	Average		Charge				Average		Charge
DISEASE /		1,000	Stay	Average		DISEASE /		1,000	Stay		
AGE GROUP	Number	Pop	(Days)	Charge	Capita	AGE GROUP	Number	Pop	(Days)	Charge	Capita
Injury-Related	: All					Alcohol-Related	I				
Ťotál	4,629	9.5	4.7	\$18,058	\$172	Total	1,577	3.2	4.3	\$6,299	\$20
<18	416	3.7	3.9	\$16,375	\$61	18-44	908	5.2	3.6		\$26
18-44	1,015	5.9		\$18,102	\$106	45-64	545	4.3	5.1	\$8,028	\$35
45-64	1,126	8.9	4.8	\$19,488	\$173	Pneumonia and I				+-,	*
65+	2,072	27.6	5.2	\$17,597	\$486	Total	1,853	3.8	4.4	\$9,911	\$38
Injury: Hip	Fracture	_,	0.2	ψ,σσ.	Ψ.00	<18	194	1.7	2.7		\$10
Total	558	1.1	5.7	\$20,263	\$23	45-64	271	2.1		\$10,974	\$24
65+	511	6.8	5.7		\$136	65+	1,278	17.1	4.7	\$10,352	\$177
Injury: Pois		0.0	0.7	Ψ13,317	Ψ100	Cerebrovascular	Disease	17.1	7.7	Ψ10,00 <u>2</u>	Ψιττ
Total	317	0.7	2.3	\$7,860	\$5	Total	1,324	2.7	4.4	\$15,579	\$42
18-44	155	0.9	1.9	\$6,436	\$6	45-64	262	2.1		\$21,245	\$44
10 44	100	0.5	1.5	ΨΟ, 400	ΨΟ	65+	1,021	13.6	4.1		\$182
Psychiatric						Chronic Obstruc	tive Pulm			Ψ10,040	ΨΙΟΣ
Total	2,991	6.2	7.5	\$7,475	\$46	Total	1,164	2.4	3.6	\$8,393	\$20
<18	546	4.9	8.4	\$6,893	\$34	<18	123	1.1	2.0	\$3,944	\$4
18-44	1,464	8.4	6.5	\$6,552	\$55	18-44	88	0.5	3.0	\$6,988	\$4
45-64	641	5.1	8.5	\$9,012	\$46	45-64	241		3.5	\$8,616	\$16
65+	340	4.5	8.4	\$9,481	\$43	65+	712	9.5	4.0	\$9,259	\$88
05+	340	4.5	0.4	φ9,401	Ψ40	Drug-Related	/ 12	9.5	4.0	φ9,209	φοο
Coronary Heart	Dicesso					Total	393	0.8	6.9	\$7,594	\$6
Total	3,799	7.8	2 5	\$26,413	\$206	18-44		1.2	5.2	\$6,335	эо \$8
45-64	3,799	9.6	0.0	\$20,413 ¢06.007	\$200 \$254	18-44	200	1.2	5.2	φο, <u>33</u> 3	90
	1,221		2.8	\$26,297		Total Haamitali	+				
65+	2,423	32.3	3.9	\$26,644	\$861	Total Hospitali	Zations	100 6	4.0	# 10 004	Φ4 F00
Malianana Nasa	1 (0					Total			4.0	\$12,304	
Ma <u>l</u> ignant Neop			ATT	404 050	40=	<18	8,576	77.0	3.2	\$5,748	\$443
Total	2,212	4.5	6.2	\$21,259	\$97	18-44	14,382	82.9	3.3	\$8,770	\$727
18-44	176	1.0		\$23,742	\$24	45-64	12,771	100.9	4.2		\$1,548
45-64	774	6.1	5.5	\$19,897	\$122	65+	24,355	325.0	4.6	\$15,110	\$4,910
65+	1,235	16.5		\$21,192	\$349						
Neoplasms: F	emaīe Brea		ites for	Temale po		PR					
Total	115		2.1	\$10,759	•	Total	7,644	15.7	3.9	\$9,442	\$148
Neoplasms: C	oıo-rectai	L			A	<18	699	6.3	2.3	\$4,393	\$28
Total	293	0.6		\$25,046	\$15	18-44	813	4.7	3.3	\$8,312	\$39
65+	204	2.7	8.6	\$25,809	\$70	45-64	1,385	10.9		\$10,812	\$118
Neoplasms: L	ung					65+	4,747	63.3	4.2	\$9,980	\$632
Total	202	0.4	6.1	\$20,587	\$9						
Diabetes						 * Hospitalizations	for cond	itions	where t	imely and	effecti
Total	562	1.2	4.8	\$14,299	\$17	ambulatory care ca	n reduce	the li	kelihood	of hospi	talizati
65+	214	2.9	5.5	\$14,213	\$41	,					